



高能激光 2200W-锐科光纤激光切割机  
GNLASER 2200W-RAYCUS FIBER LASER CUTTING  
MACHINE

2017 年 3 月版

March-2017 Edition

## 高能激光 2200W-锐科光纤激光切割机切割性能

### GNLASER 2200W-RAYCUS

#### FIBER LASER CUTTING MACHINE CUTTING PERFORMANCE TABLE

##### 1. 切割材质及最大厚度/Cutting material and maximum cutting thickness

材质 material	碳钢 carbon steel	不锈钢 stainless steel	铝板 aluminum sheet	铜板 copper sheet
厚度 thickness	20mm	8mm	6mm	6mm

##### 2. 切割材料库/Cutting material storage

碳钢厚度 carbon steel thickness	1mm	2mm	3mm	4mm	5mm	6mm	8mm	10mm	12mm	14mm	16mm	18mm	20mm
氧气切割速度 Oxygen cutting speed	183mm/s	83mm/s	53mm/s	48mm/s	43mm/s	35mm/s	25mm/s	17mm/s	15mm/s	13mm/s	13mm/s	11mm/s	10mm/s
铝厚度 Aluminium thickness	1mm	2mm	3mm	4mm	5mm	6mm							
氮气切割速度 Nitrogen cutting speed	417mm/s	167mm/s	83mm/s	33mm/s	14mm/s	10mm/s							
铜厚度 Copper thickness	1mm	2mm	3mm	4mm	5mm	6mm							
氮气切割速度 Nitrogen cutting speed	383mm/s	150mm/s	55mm/s	28mm/s	13mm/s	9mm/s							
不锈钢厚度 Stainless steel thickness	1mm	2mm	3mm	4mm	5mm	6mm	8mm						
氮气切割速度 Nitrogen cutting speed	517mm/s	217mm/s	100mm/s	75mm/s	35mm/s	20mm/s	7mm/s						